

Index

A

Ability(ies), 10, 15, 61, 63–66, 68, 70, 72, 75, 81, 95, 105, 110, 162, 197, 206, 223, 233, 252, 273, 276, 278, 340, 353, 355, 358, 359, 361, 375, 379, 389, 391, 404, 405, 415, 439, 490

Ableism, 439

Abstract reasoning, 338

Abuse

- emotional, 243
- physical, 189, 251
- sexual, 240, 252, 256, 302, 336

Academic achievement, 61, 81, 279, 336, 338, 339, 345, 346, 354, 356, 372

Academic knowledge, *see* Academic achievement

Accessibility, 165, 248, 287, 314, 344, 346, 348, 350, 352, 359, 452

Accidents, *see* Trauma

Acculturation, 17, 256

Achenbach System of Empirically Based Assessment (ASEBA), 162, 197

- See also* Tests and measures

Achievement, *see* Academic achievement

Acute stress disorder (ASD), 257, 379

- See also* Diagnostic category(ies), trauma and stressor-related

Adaptive Behavior Assessment System, Third Edition (ABAS-3), 352

- See also* Tests and measures

Adaptive functioning, 73–76, 79–81, 83, 198, 234, 336, 338, 339, 351–352, 354, 356, 371

Addiction counselor, 14

- See also* Clinician

Adjustment disorder, 43, 258, 379

- See also* Diagnostic category(ies), trauma and stressor-related

Adolescence, 5, 11, 13, 15, 17, 20, 25, 27, 31, 32, 36, 38, 40, 42–45, 58, 64–66, 68, 72, 75, 81, 95, 97, 106, 108, 118, 123, 134, 138, 143–171, 176, 188, 195, 207, 209, 212, 219, 222, 224, 229, 231, 232, 237, 239, 240, 260, 261, 270–274, 279, 289, 290, 293, 299, 301–305, 307, 319, 324, 336, 337, 353, 357, 358, 369, 371, 372, 376, 377, 379, 380, 382, 389, 397, 415, 435, 439, 440, 442, 449, 453, 455, 457, 459

- See also* Age

Adolescent(s), *see* Adolescence

Adverse childhood experience(s) (ACE), 108, 232, 234

- See also* Trauma

Adversity, 61, 175, 233, 234, 271, 280

Advocacy, xi, 9, 94, 131, 261

Age

- 0 to 2 years (*see also* Infancy), 58, 63
- 3 to 5 years (*see also* Early childhood), 58, 64
- 6 to 11 years (*see also* Middle childhood), 58, 64
- 12 to 17 years (*see also* Adolescence), 58, 64

Agency, 33, 49, 91, 92, 95, 120, 123, 127, 129, 138, 147, 154, 167, 205, 224, 234–236, 252, 261, 320, 340, 384, 390, 397, 423, 436, 454, 456, 457, 478, 484

Aggression, 59, 197, 215, 240, 257, 306, 337

Alaska Native, 122, 231, 236, 292

- See also* Indigenous

Alcohol, 96, 220, 273, 301, 305–307, 379

- See also* Substance(s)

Alienation, 303

Alliance, 32–34, 36, 40, 80, 100, 110

- American Indian, 149, 313, 368, 373, 374, 382, 383, 387, 397, 407
See also Indigenous; Native American
- American Psychological Association (APA), xi, 8, 9, 29, 261, 279, 292, 321, 359, 369, 384, 388, 449–452, 457
- Anorexia Nervosa, 379
See also Diagnostic category(ies), feeding and eating; Eating disorders
- Antecedent, 104, 136, 369, 381
- Anxiety, 5, 40–42, 44, 57, 70, 79, 92, 135, 160, 187, 209, 221, 251, 255, 269, 274, 278, 279, 302, 356, 379, 382, 386, 399, 401, 403, 406–408, 413, 426
See also Diagnostic category(ies), anxiety
- Aptitude, 336, 338, 339, 354
- Arousal, 234, 278, 378
- Assessment(s)
 comprehensive, 93, 95, 254, 256, 262, 281, 283, 317, 426–428
 family, 14, 21, 26, 31, 37, 55, 76, 82, 93, 100, 102, 104, 110, 112, 118, 121, 125–127, 129, 133, 138, 170, 174, 176, 179–180, 196–199, 381, 395, 396, 398, 399, 402, 404, 409, 426, 429, 439, 452–456, 458, 459, 474
 goals, 37, 118, 144, 157, 423–424, 428, 433–434, 439–440, 453, 455
 holistic, 112
 instruments, 136, 308
 process, 4, 9, 19, 29, 35, 36, 45, 49, 50, 64, 78, 82, 100, 104, 110, 120, 122, 124–126, 135, 162, 167, 170, 176, 179–180, 188, 194, 196, 197, 204, 207, 209, 210, 218, 235, 359, 360, 369, 390, 396, 397, 399–401, 404, 412, 415, 429, 431, 436, 453, 454, 457, 459
 report, 19, 354, 357, 360–361, 366, 368, 383, 385, 387, 388, 390, 402, 457
 risk, 38, 40–42, 97, 283, 308–314, 317–319, 385, 434, 437
 strategies, 77, 144, 270, 452
 techniques, 120, 144, 166, 223
 therapeutic, 127, 129, 138, 144, 153, 169, 368
 tools, 4, 58, 160, 165, 212, 248, 287, 314, 340, 344, 346, 348, 350, 352
- Attachment, 12, 258, 260, 276, 291, 302
- Attachment, Regulation, and Competency (ARC), 291
See also Intervention(s)
- Attention, xi, 10, 11, 42, 57, 61, 62, 64, 66, 70, 75, 78–81, 107, 112, 119, 124, 134, 136, 145, 159, 162, 169, 171, 174, 178, 188, 192, 195, 239, 241, 251, 257, 270, 272, 274, 277–279, 283, 302, 307, 326, 338, 340, 360, 362, 372, 375, 381, 414, 441
- Attorney, 4, 94, 108, 438, 441–443, 477
See also Legal, professionals; Legal, system
- Attune(ment), 29, 45, 66, 78, 79, 81, 194, 239–241, 252, 281, 320, 413
- Attuning, *see* Attune(ment)
- Auditory sequencing, 405
- Aunt, 12–16, 31, 34, 35, 38–40, 43, 47, 49, 50, 61, 69, 79, 91, 95, 368, 370–375, 377, 382, 386, 397, 400–402, 409, 443
- Avoidance, 37, 167, 233, 241, 256, 257
- Awareness, 8, 10, 36, 63, 72, 102, 124, 125, 131, 138, 176, 223, 230, 239, 320, 376, 411, 429, 434, 439, 451
- B**
- Background questionnaire, 180
- Barrier(s), 8, 30, 50, 77, 98, 101, 102, 125–129, 138, 143, 160, 162, 167, 169, 195, 196, 282, 321, 385, 390, 396, 415, 453, 490
See also Engagement
- Bayley Scales of Infant and Toddler Development, Fourth Edition (Bayley-4), 163, 341, 349, 352
See also Tests and measures
- Behavior, *see* Behavioral
- Behavioral
 activation, 290
 disruption, 187
 health, 5, 9, 28, 70, 82, 91–95, 98, 101, 102, 108, 118, 186, 188, 197, 198, 200, 252, 290, 292, 320, 324, 338, 339, 345–350, 353, 354, 356, 366, 379, 384, 389, 401, 423, 424, 426–431, 433, 434, 441, 442, 444, 448, 451, 452, 457
 health clinician (*see also* Clinician), 5, 91, 429, 434
 health professional (*see also* Clinician), 95, 108, 131, 186, 320, 401, 428, 430, 433
 health specialist (*see also* Clinician), 118
 intervention, 396, 431
 observation (*see* Observation(s))

- Behavior Assessment System for Children,
Third Edition (BASC-3), 162
See also Tests and measures
- Belief, x, 12, 13, 17–19, 27, 28, 32, 33, 38, 47,
60, 61, 76, 77, 101, 102, 120, 121,
125, 156, 170, 194, 196, 207, 213,
233, 239, 255, 257, 277, 279, 280,
290, 316, 317, 360, 373, 374, 382,
388, 389, 398, 411, 415, 422, 427,
434, 436, 448, 450, 453
See also Cultural, belief(s)
- Bell curve, 355, 356
- Bias(es), 42, 43, 48, 57–58, 129, 147, 338,
358, 359, 367, 369, 455
- Bilingual, 130, 231
See also Multilingual
- Binge-eating disorder
See also Diagnostic category(ies), feeding
and eating; Eating disorders
- Biological interventions, 291
- Biopsychosocial, *see* Biopsychosociocultural
- Biopsychosociocultural, 66, 146, 174, 270,
281, 305, 339, 381, 449
- Blame game, *see* Barrier(s)
- Boundary(ies), 8, 73, 131, 168, 176, 177, 190,
206, 239, 258, 288, 291, 430
- Brother, 12, 13, 49, 96, 288, 301, 319
- Bulimia nervosa, 379
See also Diagnostic category(ies), feeding
and eating; Eating disorders
- Bully(ing), 94, 97, 156, 251, 252, 276,
279, 304
- C**
- Caffeine, 152, 185
See also Substance(s)
- Cannabis, 95
See also Substance(s)
- Caregiver(s), 5, 11, 21, 27, 28, 30–34, 36, 38,
39, 42, 44, 47–50, 56, 57, 61,
64–66, 68–72, 74, 75, 77–80, 82,
90, 91, 93, 95, 96, 100–102, 109,
119, 120, 122, 123, 125, 127,
154–156, 158, 160, 161, 169, 170,
174, 176, 177, 179, 180, 187, 188,
195, 197, 198, 200, 232, 233, 235,
237, 249, 251, 253, 258, 260, 261,
270, 272, 282, 288, 308, 316, 317,
322, 324, 336, 338, 351, 356, 366,
367, 369, 371, 372, 374, 384,
387–390, 396, 397, 399, 401, 404,
410, 413, 424, 434–437, 439, 453,
454, 457, 458, 467, 469–471, 473
- Case
conceptualization, 49, 50, 250, 290, 368,
381–383, 388, 389, 426, 456
management (*see also* Social, work), 29,
261, 385, 457
recommendations, 49, 256, 366, 368,
387, 389
summary, 49, 366, 368, 381–382, 389
- Child Behavior Checklist (CBCL), 39
See also Tests and measures
- Child custody, 94, 385, 439
- Childhood trauma, 259, 302
- Child-parent psychotherapy (CPP), 260
See also Interventions
- Children's Apperception Test (CAT), 348
See also Tests and measures
- Child welfare system, 94
- Chronosystem, 28, 382
See also Ecological systems theory
- Class, *see* Socioeconomic status
- Classification, 57, 64, 67, 378
- Classism, 439
See also Oppression
- Classroom interventions, 457
- Clinical
assessments, 28–31
drawing(s) (*see* Drawing(s))
interview(s) (*see* Interview(s))
psychology, 8–10, 29, 212, 384, 450,
458, 460
social worker (*see also* Clinician), 3, 5, 7
technique, 57
tools, 37, 194, 249
utility, 337
- Clinician, xii, 4–11, 16–18, 27, 28, 31–45,
47–50, 55–57, 63–70, 73, 75, 76,
78–81, 91, 93, 96–98, 100, 101,
103, 107, 108, 110, 119–127,
129, 131–136, 138, 144,
153–161, 166–168, 170, 176,
179, 180, 186–194, 196, 197,
199, 203, 207, 209–213, 218,
222, 223, 230, 233–235,
237–239, 241, 249–254,
256–258, 260–262, 270, 275,
282–284, 288, 301, 308, 316,
317, 319–321, 324, 325, 336,
340, 345, 358, 360, 361,
366–368, 375, 379, 381, 385,
388, 389, 396, 398, 399,
401–406, 408–416, 422, 423,
425, 426, 428–431, 433–437,
439–444, 454, 459, 467–469,
485, 486

- Clinician assumptions, 57
- Clinician-client
alliance, 32
interactions, 10
rapport, 10
relationships, 218
- Closed-ended questions, 440
See also Interview(s)
- Code-switch, 27, 60, 178
- Cognition, 37, 42–45, 58, 61, 63–66, 68–70, 80, 83, 97, 121, 127, 136, 160, 208, 211, 240, 249, 258, 259, 270, 272–274, 277–283, 290, 291, 306, 336, 338–345, 353, 354, 356, 358, 371, 378, 431, 435, 455
social, 340
- Cognitive, *see* Cognition
- Cognitive behavior therapy (CBT), 260, 290
See also Intervention(s)
- Cognitive distortions, 277, 279, 281, 282
- Cognitive flexibility, 338
- Cognitive impairment, 121, 160, 278, 345
- Cohort, 337
- Collaborate, *see* Collaboration
- Collaboration, x, 10, 11, 19, 26, 29, 31–36, 50, 56, 77, 90, 92, 101, 109, 110, 112, 122–124, 127, 129, 174, 189, 196, 198, 204, 224, 235, 239, 258, 261, 293, 336, 388–390, 395, 396, 398, 399, 427–430, 437, 448, 450, 452–454, 457, 458, 460
- Collateral report(s), 39, 49, 64, 70, 75, 80, 162, 249, 253, 255, 288, 289, 338, 354, 371, 377, 401, 440, 455
measures, 64, 70, 162, 253, 288, 371, 377, 401, 440, 455
- Collective grieving, 195
- Collectivism, 72, 177, 213
- Communal responsibility, 374
- Communicate, *see* Communication
- Communication, x, 14, 19, 20, 26, 29, 31–38, 40, 48, 50, 64, 66–70, 72, 78–83, 100–102, 110, 121–123, 125, 128–131, 134, 135, 138, 144, 146, 147, 156, 161, 167, 168, 170, 171, 174, 176, 179, 186, 188–190, 192, 199, 203–224, 236, 254, 260, 270, 278, 282, 283, 291, 302, 324, 336, 356, 360, 366–368, 371, 378, 383, 384, 386, 400, 402, 404, 408, 412, 413, 415, 427–431, 435, 436, 441, 448, 452, 456, 457, 460, 470, 474–476, 490
- Community mental health, 7, 28, 30, 323, 422
- Community psychology, x, 9–11, 14, 20, 29, 384, 450, 452
- Competence, 8, 9, 66, 72, 98, 165, 248, 276, 287, 314, 327, 344, 346, 348, 350, 352, 436, 441
- Complex post-traumatic stress disorder (C-PTSD), 259
See also Diagnostic category(ies)
- Comprehensive Test of Nonverbal Intelligence, Second Edition (CTONI-2), 353
See also Tests and measures
- Concentration, 107, 136, 210, 274, 283, 338, 340, 375, 380, 382, 386, 397
- Conduct, ix, 6, 8, 29, 41, 57, 74, 94, 96, 103, 135, 136, 160, 235, 237, 240, 256, 258, 274, 283, 289, 305, 318, 377, 422–425, 431, 439–441, 443, 456
- Confidence interval(s), 357, 358
- Confidentiality, 29, 35, 43, 59, 81, 82, 92, 100, 101, 118, 120, 122, 125, 128, 130–132, 134, 144, 178, 190, 205, 231, 236, 270, 300, 318, 336, 368, 397, 422, 425, 430, 431, 441, 469–471, 473, 489, 490
See also Privacy
- Consequence, xi, 14, 71, 104, 136, 174, 230, 279, 280, 315, 369
- Conservation, 64
- Constellation, 58, 82, 175, 255, 257, 258, 378
- Consultation, 8, 19, 122, 187, 261, 262, 410, 423, 455, 457
- Context, ix–xi, 4–6, 8–11, 13, 16, 18–21, 26–31, 33, 35, 36, 38, 39, 42–44, 50, 55–83, 90, 103, 104, 106, 108, 112, 118–120, 124, 127, 129, 137, 138, 144, 146, 147, 154–160, 167, 169–171, 174, 176–180, 187, 188, 192, 196, 204, 207, 213, 215, 216, 223, 230, 231, 233–239, 241, 251, 252, 256, 257, 260, 262, 270, 272, 288–290, 292, 293, 300, 303, 306, 308, 315, 317, 319, 320, 322, 325, 336–339, 359, 360, 362, 366, 367, 369, 371, 378, 381, 383, 385, 388–390, 396–398, 402, 405, 406, 408, 411, 422, 424, 433, 434, 438, 440–442, 448–458, 460
minimization error, 146, 381, 448, 455
- Contextual influences, 303
- Cooperation, 188, 189
- Coordination, 78, 90, 101, 326, 428–430
motor, 340, 375

- Cope, *see* Coping
- Coping, 14, 47, 77, 157, 160, 162, 179, 193, 195, 220, 222, 223, 236, 238, 253–255, 259, 260, 262, 278, 280, 291, 316, 323, 325–327, 369, 374, 375, 381, 383, 384, 386, 388, 390, 431, 434, 436, 451
- strategies
- individual, 320, 322
 - interpersonal, 320, 322, 434
- Counselor, 3, 14, 16, 26, 31, 38, 59, 90, 93, 95, 99, 100, 103, 178, 231, 236, 271, 300, 301, 306, 318, 321, 323, 325, 336, 366, 368, 370, 371, 373, 375, 386, 402
- See also* Clinician; Therapist
- Court
- criminal, 422, 443
 - family, 422, 439
 - immigration, 422
- Cousin, 61, 105, 252, 300, 322, 370, 375, 386, 397, 409
- COVID-19, 5, 75
- Creative activities
- collage, 283
 - coloring, 283, 320
 - drawing, 16, 20, 37, 43, 45, 64, 66, 75, 78, 80, 159, 166, 194, 195, 203–224, 252, 283, 289, 322, 354, 370, 371, 374, 375, 383, 412, 414, 455
 - journaling, 283, 322
 - painting, 283
 - play, x, 45, 62, 71, 72, 74, 90, 95, 101, 112, 121, 127, 134, 144, 156, 159, 167–169, 177, 192, 208, 234, 255, 261, 270, 272, 278, 281, 284, 289, 291, 304, 306, 317, 320, 338, 374, 375, 400–402, 405, 423, 425, 435, 437, 443, 452, 457–459
- Crisis
- line, 5, 271, 321, 422, 434
 - response, 436
 - setting, 222, 422, 433–435
 - worker, 90
- Critically reflexivity, 460
- See also* Cultural, reflexivity; Reflexivity
- Cultural
- background(s), 8, 15, 21, 37, 61, 77, 102, 121, 144, 158, 180, 207, 237, 252, 253, 260, 316, 435
 - behavior(s), 360
 - belief(s), 38, 233, 239, 280, 316, 434
 - boundary(ies), 206
 - broker, 65, 122, 138, 160, 236, 251, 258, 288, 389, 396, 453
 - characteristics, 49, 124, 156, 170, 194, 241, 360, 368, 373–374, 402
 - context, xi, 31, 49, 50, 58, 66, 70, 76, 118, 120, 127, 147, 176–179, 207, 257, 270, 337, 388, 411, 434, 452, 456
 - curiosity, 207, 288
 - differences, 31, 32, 37, 49, 58, 68, 128, 135, 168, 241, 280, 450
 - genogram, 223
 - group, 8, 67, 76, 122, 317
 - history(ies), 194, 373
 - humility, 48, 147, 180, 203, 207, 288, 389, 396, 456
 - identity(ies), 18, 26, 58, 160, 162, 207, 223, 233, 316, 360
 - impact, 47, 359
 - issues, 359–360
 - language, 37, 128, 161, 251, 323
 - liaison (*see* Cultural, broker)
 - norms, 7, 13, 37, 147, 156, 166, 168, 169, 178, 207, 272, 317, 378, 382, 401, 411, 434, 444
 - practices, 321, 323
 - psychology, ix, xi, 10, 15, 29, 144, 447, 460
 - reflexivity, 396
 - self, 222
 - tradition(s), 17, 175, 207, 373
 - value(s), 13, 14, 180, 223, 351, 374, 403
- See also* Multicultural
- Cultural Formulation Interview (CFI), 160, 162, 258
- See also* Interview(s), protocols
- Culturally
- appropriate (*see also* Culturally, responsive), 16, 37, 38, 40, 43, 48, 64, 78, 110, 121, 122, 235, 384, 398, 412, 451
 - congruent, 110, 125, 259, 260, 320, 454
 - diverse, 373
 - fair, 338, 353
 - responsive (*see also* Culturally, appropriate), 7, 29, 36, 42, 48, 56, 119–125, 138, 143, 206, 230, 234, 253–256, 281, 282, 317, 319, 321, 359, 386, 408, 436, 441, 451, 452, 457, 458
 - situated, 11
- Culture-fair, 359
- Culture-free, 359
- Cutting, *see* Self-injury

D

Daily living skills, *see* Adaptive functioning

Data, 31, 35, 38, 49, 80, 92, 135, 136, 146, 156, 159, 190, 198, 212, 253, 290, 300, 336–338, 340, 355, 360, 367, 368, 425, 440, 441, 454–457

Deep

culture, 74, 121, 147, 177, 180, 351, 388–389

structure, 78

Defense mechanisms, 405

Delis-Kaplan Executive Function System (D-KEFS), 341

See also Tests and measures

Dependency, 73, 131, 449

Depression

causes

attachment, 276, 291

behavioral factors, 276–277

biological factors, 278

cognitive factors, 277–278, 290

learned helplessness, 276

psychoanalytic and psychodynamic factors, 276

social skills lapses, 276, 290

socioecological factors, 279–280

childhood, 5, 269–271, 275, 281, 290, 386

diagnosis, 272, 284

rates, 5, 270, 271

symptoms, 285–287, 397

somatic, 273, 274, 280

See also Diagnostic category(ies), depressive

Deprivation, 58, 233, 239, 372

Detention

immigration, 231

juvenile, 16, 91, 94, 123

A Developmental Neuropsychological Assessment, Second Edition (NEPSY-II), 342

See also Tests and measures

Development(al)

age, 160, 168, 208, 284, 356, 357, 402

communication, 66–70

domain(s)

adaptive, 58, 73–76, 352

cognitive, 58, 61, 63, 66, 80, 160, 211, 270

motor, 82, 208

social-emotional, 70–73, 372

history, 106, 157, 158, 371

levels, 20, 36, 45, 58, 80, 122, 144, 154, 155, 160, 253, 254, 274, 401, 485, 486

maturation, 70

milestone, 59, 61, 76, 105, 106, 157, 371

stages, 69, 77, 81, 127, 144, 161, 208, 233, 234, 254, 270, 272, 284, 303, 453

trauma disorder (DTD), 259

Diagnosis(es)

early, 70

specified, 381

unspecified, 381

Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision (DSM-5-TR), 41, 255, 258, 259, 283, 302, 378, 380

See also Diagnostic classification systems

Diagnostic assessment, 423

See also Assessment(s)

Diagnostic category(ies)

anxiety, 379

bipolar and related, 379

depressive, 270–273, 277, 279, 379, 380

disruptive, impulse-control, and conduct, 379

dissociative, 258, 379

feeding and eating, 379

neurodevelopmental, 379

obsessive-compulsive and related, 380

personality, 60, 302, 380

schizophrenia spectrum and other psychotic, 380

sleep-wake, 379

somatic symptom and related, 379

substance-related and addictive, 379

trauma- and stressor-related, 379

Diagnostic classification systems

Diagnostic and Statistical Manual of Mental Disorders (DSM), 41, 58, 160, 258, 378–380, 456

Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision (DSM-5-TR), 41, 255, 258, 259, 283, 302, 378, 380

International Classification of Diseases (ICD), 41, 58, 378–380, 456

International Classification of Diseases, Eleventh Revision (ICD-11), 41, 378

Diagnostic impressions, 49, 145, 160, 338, 355, 358, 360, 366, 368, 378–381

Diet, 105, 157

Differentiation, 176, 177

Disability(ies)

developmental, 96, 168, 351

intellectual, 351, 379

learning, 223, 345, 406, 412

- neurological, 234
- physical, 240, 275, 478
- psychiatric, 112, 274, 423
- sensory, 378
- Discrimination
 - ableism, 439
 - classism, 233, 439
 - colonialism, 9, 60, 91, 233, 439
 - homophobia, 49, 318
 - racism, 19, 91, 177, 233, 234, 359, 439, 450
 - religious, 374
 - sexism, 233
 - structural, 271
 - transphobia, 192, 231
 - xenophobia, 233
 - See also* Oppression
- Disempower(ment), 26
- Disinhibited Social Engagement Disorder (DSED), 258
 - See also* Diagnostic category(ies), trauma and stressor-related
- Disorder(s), *see* Diagnostic category(ies)
- Disparity(ies), 5, 6, 44, 57, 94, 279, 449
- Displacement, 15, 17, 67, 230, 233, 239, 251, 372, 373, 382, 438
- Dissociation, 119, 210, 240, 249, 255, 258
 - disorders (*see also* Diagnostic category(ies), dissociative), 379
- Divorce, 177, 179, 213, 229, 276, 371
- Doctor, 3, 31, 33, 92, 112, 170, 301, 453, 458, 478
 - See also* Clinician
- Documentation, 13, 107, 108, 110, 441, 442
 - See also* Record(s)
- Domestic violence, *see* Interpersonal violence
- Drawing(s)
 - animal, 224
 - before, during, and after a crisis, 222
 - current mood, 219–220
 - defining and resolving problems, 221
 - developmental relevance of, 208
 - directives, 204, 212–224, 371, 375
 - feeling, 209, 211, 219
 - house, tree, and person, 206
 - kinetic school, 218–219
 - memory, 209
 - peer, 217
 - prompts, 194, 195, 204, 207, 210–212, 289
 - self with friends, 216–218
 - unpleasant experiences, 209, 221
 - wish, 224
 - your world, 224
- DSM-5-TR, *see* Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision
- Dynamics, xi, 60, 90, 105, 120, 124, 125, 147, 171, 174–180, 189, 193, 194, 198, 199, 204, 206, 213, 217, 289, 291, 303, 325, 389, 398, 401, 403, 410, 411, 431, 442, 449, 485
- Dysfunction, 190, 235, 305
- Dysregulation, 79–81, 262, 302, 435
- E**
 - Early childhood, 58, 60, 61, 64–66, 70, 71, 75, 78, 252, 379
 - See also* Age
 - Earnings, *see* Income
 - Eating disorders, 92, 93, 158, 159, 162, 302, 379, 401
 - See also* Diagnostic category(ies), feeding and eating
 - Ecological systems theory
 - chronosystem, 28, 382
 - exosystem, 28, 382
 - individual, 27, 381
 - macrosystem, 28, 382
 - mesosystem, 27, 382
 - microsystem, 27, 112, 371, 382, 486
 - See also* System(s)
 - Eco-map(s), 45–47, 146, 156, 209, 215–216, 485–487
 - Education, 8, 11, 14, 27, 64, 65, 67, 76, 89, 94, 107, 110, 131, 170, 177, 234, 236, 261, 292, 306, 351, 384, 386, 436, 439, 452, 457
 - Educational accommodations, 413
 - See also* Educational plan
 - Educational intervention, 261, 339, 400
 - See also* Educational plan
 - Educational plan
 - 504 plan, 93, 105, 107, 372, 373, 384, 421
 - individualized educational program (IEP), 93, 94, 105, 107, 372, 373, 384, 421
 - Educator, ix, xii, 106–107, 366, 401, 428
 - See also* School, staff; Teacher
 - Egocentrism, 71
 - Emergency contacts, 323
 - Emergency department, 4, 5, 28, 210, 422, 423, 433, 437, 442, 470, 474
 - Emergency room, *see* Emergency department
 - Emotion(al)
 - asset(s), 338, 375, 404, 434
 - disturbance(s), 37, 380
 - health, 198

- Emotion(al) (*cont.*)
 liability(ies), 338
 regulation, 95, 278, 291, 413
 resources, 210, 222, 340, 358
 suffering, 272, 304
- Emotional/behavioral health, 5, 9, 28, 70, 82,
 92–95, 98, 101, 102, 108, 118, 186,
 188, 197, 198, 200, 252, 290, 292,
 320, 324, 338, 339, 345–350, 353,
 354, 356, 366, 379, 384, 389, 401,
 423, 424, 426–431, 433, 434, 441,
 442, 444, 448, 451, 452, 457
- Emotionality, 347
- Empathy, xii, 56, 124, 126, 127, 129, 145,
 186, 187, 192, 196, 199, 236, 283,
 289, 307, 406, 409, 413–415, 425,
 435, 441, 458
- Employer, 90
- Employment, ix, xi, xii, 7–9, 11, 13–18, 20,
 29–35, 40, 48, 59, 62, 76, 77, 79,
 81, 92, 100–102, 110, 118, 120,
 124, 130–133, 138, 144, 154, 158,
 167, 170, 178, 181, 187, 189–191,
 196, 197, 199, 200, 205, 212, 213,
 215, 218, 222, 231, 234, 236, 241,
 252, 261, 270, 292, 300, 319–321,
 325, 326, 336, 337, 368, 384, 385,
 388, 397, 400, 404, 407, 409, 414,
 422, 423, 426, 428, 430, 431,
 435–439, 442, 444, 448, 450–454,
 457–460, 483, 486, 489–491
See also Occupation
- Empowerment, 9, 10, 120, 127, 167, 384,
 399, 450
- Empty head, xii, 19, 29, 41–43, 50, 56, 91,
 171, 174, 204, 235, 448, 452,
 456, 460
- Enculturation, 60, 61, 174
See also Socialization
- Engagement
 attitudinal, 102, 126, 128, 138
 behavioral, 102, 126, 128
- Enmeshment, 73, 176
- Environment, x, xi, 9–11, 15, 16, 20, 25, 28,
 30, 38, 39, 45, 60–62, 64, 65, 73,
 76, 80, 90, 103, 119–121, 125, 136,
 138, 155, 171, 176, 178, 197–200,
 210, 223, 235, 239, 259, 262, 271,
 274–276, 281, 283, 291, 303, 305,
 306, 321, 323, 325, 351, 357, 367,
 374, 382, 384, 386, 423, 442,
 448, 455
- Environmental precipitants, 304
- Equivalency(ies), 356, 377
- Estrangement, 196
- Ethnic
 ancestry, 72, 273
 identity, 48
See also Ethnicity
- Ethnicity, 6, 57, 72, 135, 177, 257, 273, 305
See also Ethnic, ancestry
- Evaluation(s), *see* Assessment(s)
- Evidence-based
 intervention, 272
 practice, 15
 treatment, 383
- Exclusion, 233, 274, 280, 372
- Executive functioning, 63, 69, 107, 240,
 283, 340
- Exosystem, 28, 382
See also Ecological systems theory
- Extended family, *see* Family
- Externalizing
 behaviors, 215
 disorders (*see also* Diagnostic
 category(ies)), 94, 103, 238
See also Externalize
- F**
- Faith
 community, 27, 59, 317, 374, 382,
 384, 457
 leader, 14, 90
See also Spirituality; Religion
- Familism, 72, 177
- Family
 assessment, 37
 court, 422, 439
 dynamics, 105, 124, 174, 176–180, 193,
 198, 204, 206, 213, 289, 291, 303,
 389, 401
 evaluations, 82, 196
 extended, 45, 175, 215
 history, 157, 180, 212, 275, 304, 371
 life cycle, 186
 members, ix, 27, 64, 91, 101, 104, 105,
 123, 127, 131, 133, 138, 157, 174,
 176, 177, 179, 186, 189–192,
 194–200, 207, 213, 215, 216, 232,
 251, 288, 291, 300, 316, 325, 366,
 369, 374, 384, 388–390, 396–398,
 401, 404–406, 410–412, 424, 426,
 434, 453, 454, 456, 487
 networks, 69
 relationships, 105, 129, 138, 157, 160, 166,
 174, 176, 180, 181, 197, 215, 237,
 327, 371, 384

- separation, 13, 19, 229, 233, 239, 251, 372, 439, 442
tree, 213
Family Assessment and Feedback Intervention (FAFI), 197, 198
 See also Intervention(s)
Family therapy
 attachment-based, 291
 family systems, 176
 functional, 292
 multidimensional, 291
 structural, 291
 See also Intervention modality(ies)
Father, 12, 17, 31, 61, 62, 80, 81, 93, 118, 124, 125, 128, 129, 136, 144, 158, 162, 175, 178, 189, 195, 198, 205, 215, 236, 238, 240, 251, 252, 255, 261, 301, 318, 372, 373, 382, 405, 432, 437, 438
Feedback, 4, 21, 28, 35, 39, 49, 50, 77, 80, 92, 101, 102, 110, 121, 127, 168, 170, 174, 177, 190, 196, 198, 199, 216, 276, 278, 291, 292, 365, 395–416, 425, 444, 457–458
Fine motor
 function, 207, 338, 351, 375
 skills, 208
 See also Development(al), motor
First Nations, *See* Indigenous
504 plan, 93, 105, 107, 372, 373, 384, 421
 See also Educational plan
Five Ps case conceptualization
 perpetuating factors, 381, 456
 precipitating factors, 381, 456
 predisposing factors, 381, 456
 presenting problems, 381, 456
 protective factors, 381, 456
Flexibility, 15, 160, 180, 223, 239, 282, 338, 413
 See also Responsivity
Fluency, 13, 42, 69
Fluidity, 13
Foster care, 94, 175, 252, 336, 368, 371–374, 382, 397
Friendship, 72, 174, 177, 216, 217, 276, 368, 370, 371, 373, 383
Functional analysis, 103, 159, 256
Functioning
 adaptive, 73–76, 79–81, 83, 198, 234, 336, 338, 339, 351–352, 354, 356, 371
 cognitive, 44, 64, 306, 339, 354, 358
 emotional, 73
 See also Development(al)
Fusion, 176, 460
Future orientation, 153, 186

G
Gatekeeper, 191
Gender
 expression, 20
 identity, 5, 20, 27, 92, 192, 275, 281, 369, 449
 norms, 279, 303
Generation, xii, 5, 12, 16, 17, 27, 28, 60, 175, 207, 213, 223, 234, 237, 279, 372, 459, 460
Generational influence, 48
Genogram(s), 194, 195, 209, 213–216, 223, 485
 See also Drawing(s)
Geography, 27
Goal(s), xii, 11, 13, 19, 28, 32, 34, 36–42, 44, 48–50, 56, 75, 77, 80, 82, 98–100, 103, 110, 118, 126, 127, 144, 145, 147, 157–159, 167, 168, 170, 179, 204, 209, 236–238, 275, 276, 282, 290, 319, 325, 336, 351, 366, 367, 383, 385, 387, 388, 397, 399, 402, 404, 413, 422–424, 428, 433–434, 437, 439–441, 443, 444, 448, 453–456, 458, 467, 470, 485, 486
Goal setting, 125
Grandfather, 17, 62, 178, 179, 300, 459
Grandmother, 12, 17, 187, 190, 215, 251, 252, 255, 459
Grandparent, 62, 78, 80, 91, 175, 188, 215, 401
Graphic expressions, *see* Drawing(s)
Graphic images, *see* Drawing(s)
Gross motor
 function, 338
 skills, 207, 338, 351, 375
 See also Development(al), motor
Group therapy, 260, 262, 291, 385, 386
 See also Intervention modality(ies)
Gun violence, 232
 See also Violence

H
Halstead-Reitan Battery (HRB), 341
 See also Tests and measures
Handicapping condition, *see* Disability(ies)
Healing centered, 118–125, 138, 143, 235, 236, 260, 282, 398, 436, 441, 452

Healing justice, 292

Health

care, 6, 7, 21, 26, 33, 34, 45, 48, 70, 91, 94, 95, 112, 124, 125, 131, 175, 196, 215, 231, 237, 270, 292, 306, 317, 323, 366, 378, 384, 389, 422, 423, 426, 428, 448, 449, 451, 456, 457, 459, 475, 478, 484, 486, 487

culture, 197

professional (*see also* Clinician), 64, 73, 92, 95, 108, 131, 179, 186, 292, 306, 319, 320, 325, 378, 379, 384, 401, 423, 428, 430, 433, 449, 451, 457

Healthcare, 7, 26, 48, 91, 124, 125, 175, 196, 231, 237, 306, 366, 378, 384, 422, 423, 428, 449, 451, 456, 459, 475, 478, 484

professional (*see also* Clinician), 378, 428

Helping professional, 3, 4, 6, 7, 26, 31, 34, 68, 323, 388, 431

See also Clinician

Helplessness, 240, 276, 282

Hierarchy(ical), 177, 359

roles, 359, 450

History

developmental, 106, 157, 158, 371

educational, 371

family, 157, 180, 212, 275, 304, 371

legal, 158, 372

medical, 63, 105, 106, 157, 371

psychiatric, 157, 337, 371, 372

psychosocial, 366

trauma, 249, 250, 253, 260, 261, 372

Holistic

approach, 199, 427, 428, 451

assessment, 112

See also Multidimensional

Homicide

ideation, 136, 305, 306, 375, 376, 433

risk, 306

Hope, xii, 6, 11, 18, 19, 26, 31, 35, 50, 99,

100, 105, 110, 123, 145, 153, 154,

159, 170, 175, 176, 178, 192, 196,

199, 204, 209, 262, 326, 357, 395,

398–400, 403, 406, 408, 413, 415,

424, 426, 435, 436, 451,

454, 458–460

Hopeless(ness), 171, 196, 199, 210, 240, 272,

274–276, 282, 304–306, 318, 319,

322, 370, 380, 382, 396, 397, 406,

407, 434, 435

Hospital, 16, 17, 82, 101, 187, 204, 205, 222,

231, 232, 238

psychiatric, 8, 59, 62, 81, 220

House, tree, and person, *see* Drawing(s)

Household, 108, 157, 175, 177, 192, 204, 215, 232, 321, 326, 454, 485, 487

Hyperactive, 278

Hyperactivity, 168, 274, 377

Hypervigilance, 135, 234, 241

I

ICD, *see* International Classification of Diseases, Eleventh Revision (ICD-11)

Ideation, 41, 136, 240, 273, 302, 304–306, 308, 315, 316, 319, 320, 324–326, 375, 376, 433, 437

Identified patient, 179, 190, 197, 198, 200, 236

Identity, 16, 17, 20, 27, 58, 92, 121, 160, 162, 176, 178, 189, 192, 207, 213, 223, 233, 259, 275, 280, 281, 292, 316, 323, 360, 369, 373, 376, 379, 382, 407, 434

Immigrant, 13–15, 17, 123

families, 15

See also Migrant

Immigration, 13–15, 94, 119, 123, 177, 230–232, 235, 236, 369, 372, 421, 422, 438, 439, 442, 443, 450

See also Migration

Impulse control, 159, 379

Impulsivity, 81, 136, 305, 306, 375, 434, 435

Inattention, 377

Inattentive(ness), 137

Income, 234, 292, 384, 457

Indices, 336

Indigeneity, 60, 372, 374, 453

Indigenous, 6, 15, 94, 125, 232, 233, 236, 251, 255, 257, 303, 305, 384, 450

See also Native

Individualism, 9, 73, 213

Individualized Educational Program (IEP), 93

See also Education plan

Infancy, 58, 70, 72

See also Age

Infant, 63, 66, 70, 74

Informant(s), 45, 77, 135, 160–162, 190

See also Respondent

Information processing, 340

Informed consent, 34–35, 122–123, 235, 261, 423, 441, 443, 469–471

Initial appointment, 189, 423, 425

Insight, xii, 26, 29, 31, 33, 35–37, 39, 45, 47, 65, 73, 74, 78, 80, 101–104, 106, 108, 110, 112, 126, 127, 136, 137,

- 154–156, 162, 166, 169, 174, 189,
195, 199, 204, 205, 209–213, 215,
216, 218, 222, 223, 252, 254, 275,
282, 284, 288, 301, 337–339, 355,
361, 366, 370, 372, 375, 376, 383,
388, 391, 395, 396, 398, 399, 401,
404, 405, 429, 431, 442, 453, 455,
456, 459
- Institutional
 - betrayal, 460
 - courage, xi, xii
- Intake, 5, 6, 97, 108, 191, 195, 205, 212, 220,
232, 323, 366, 387, 422–426,
457, 489
 - See also* Initial appointment
- Integrated
 - assessment, xi, 4, 93
 - care, 8, 59, 61, 79, 118, 124, 128, 133, 144,
158, 162, 169, 197, 427, 428,
431, 444
 - setting, 8, 367, 422, 427–431
 - team, 428, 429, 431
- Intellect(ual)
 - range, 353
- Intelligence
 - creative, 340
 - emotional, 354
 - practical, 340
- Intelligence quotient (IQ), 64, 353,
355–357, 412
 - test(s), 64, 353, 355, 412
- Interactive process, 411
- Interdisciplinary, 428, 431
 - See also* Multidisciplinary
- Internal consistency, 351
 - See also* Reliability
- Internalize(ing), 103, 136, 273, 280
- Internalized oppression, 280
 - See also* Oppression
- International Classification of Diseases,
Eleventh Revision (ICD-11)
 - See also* Diagnostic classification systems
- Interpersonal communication, 204
- Interpersonal psychotherapy (IPT), 290
 - See also* Intervention(s)
- Interpersonal violence, 229, 478
 - See also* Abuse
- Interpret(ation), x, 11, 16, 18, 26, 37, 47,
49, 57, 58, 61, 64, 66, 68, 124,
130–134, 147, 165, 166, 171,
177, 180, 195, 218, 223, 233,
248, 249, 253, 277, 283, 287,
290, 314, 336, 337, 339, 340,
344, 346, 348, 350–352, 354,
355, 357, 358, 360, 366, 367,
378, 388, 390, 398, 411, 412,
456, 470, 474, 489–491
 - See also* Translate(ion)
- Interpreter, 15, 79, 102, 130–134, 138, 178,
180, 236, 438, 440, 454, 470,
474, 489–491
 - See also* Translator
- Intersectionality, 8, 27, 48, 207
- Interventionist, 424–426, 434, 437, 444
 - See also* Clinician
- Intervention modality(ies)
 - behavioral, 5, 197, 231, 272, 291, 371,
379, 396, 431, 451, 452, 457
 - behavioral activation, 290
 - caregiver support, 31, 77, 93, 95, 96, 109,
123, 179, 195, 197, 253, 260, 261,
272, 308, 324, 338, 351, 399, 401,
436, 457
 - case management, 29, 261, 385, 457
 - community-based, 15, 327, 408
 - early intervention, 5, 379, 431, 451
 - economic, 261
 - expressive, 385, 423
 - family, 260, 371, 385, 396
 - group, 371, 385
 - healing justice, 292
 - individual, 8–10, 31, 57, 260, 261, 289,
291, 339, 361, 371, 385
 - inpatient, 371, 385, 434
 - intensive outpatient, 423
 - medication, 261, 291, 337, 396, 423
 - mentorship, 385
 - mutual aid, 260
 - mutual support, 260, 292, 384, 385,
453, 457
 - outpatient, 93, 96, 371, 423, 424, 444
 - peer support, 95, 260
 - pharmacological, 337, 371
 - prevention, 196, 317, 450, 451
 - psychotherapy, 291, 385
 - residential, 232, 337, 339, 385, 428
 - restitution, 292
 - restorative justice, 292
 - school-based, 93, 261
 - self-help, 385
 - skills training, 290
 - social-emotional learning, 5, 327
 - social work, 261, 385, 423, 457
 - structural, 396, 451
 - traditional healing, 291
- Intervention planning, 11, 15, 31, 36, 44, 48,
50, 57, 63, 96, 97, 99, 106, 179,
180, 234, 254, 337–339, 345, 375,
388, 423, 425, 426, 428, 430,
431, 476

- Intervention(s), 14, 29, 32, 95, 97, 130, 145, 199, 215, 249, 260–262, 284, 291, 292, 325, 327, 381, 384–386, 396, 413–415, 423, 425, 453, 457, 490
- Attachment-Based Family Therapy (ABFT), 291
- Attachment, Regulation, and Competency (ARC), 291
- Child-Parent Psychotherapy (CPP), 260
- Cognitive Behavior Therapy (CBT), 260, 290
- Dialectical Behavior Therapy for Adolescents (DBT-A), 326
- Family Systems Therapy (FST), 176
- Functional Family Therapy (FFT), 292
- Interpersonal Psychotherapy (IPT), 290
- Multidimensional Family Therapy (MDFT), 291
- Narrative Exposure Therapy (NET), 249, 260
- Structural Family Therapy (SFT), 291
- Trauma-Focused Cognitive Behavior Therapy (TF-CBT), 260
- Vermont Family-Based Approach (VFBA), 196
- Interview(s)
- clinical, 7, 10, 20, 21, 29, 31, 36, 40, 42, 44, 50, 65, 66, 77, 78, 95, 96, 101, 112, 118, 126, 138, 143, 147, 160, 170, 199, 203, 211, 212, 223, 236–238, 249, 254, 256, 259, 262, 282–283, 308, 370, 371, 422, 424, 443, 454
 - diagnostic, 424
 - intake, 6, 97, 195, 205, 424, 425
 - open-ended, 249
 - protocols
 - Cultural Formulation Interview (CFI), 160, 162, 258
 - School-Age Children and Adolescents (SACA) Cultural Formulation Interview (CFI), 160, 162
 - semi-structured, 38, 160
 - Semistructured Clinical Interview for Children and Adolescents (SCICA), 160, 162
 - structured, 78, 159, 160, 162, 166, 168, 241, 250–251, 254–255, 257, 283
 - unstructured, 161, 251, 455
- Introversiion, 355
- Inventory(ies)
- diagnosis, 160, 163, 338
 - diagnostic, 257
 - personality, 336, 338, 347
- See also* Tests and measures
- Isolation, x, 14, 173, 176, 179, 195, 196, 210, 279, 280, 291, 304, 306, 316, 382, 383, 406, 434
- ## J
- Jargon, 34, 100, 130, 132, 134, 336, 357, 390, 405, 411, 412, 429, 442, 444
- Job, *see* Employment
- Judge, 90, 94, 108, 109, 147, 167, 300, 366, 404, 438–442
- See also* Legal, professionals;
- Legal, system
- Judgment, 37, 72, 80, 124, 136, 169, 179, 180, 192, 283, 307, 324, 338, 339, 360, 375, 376, 486
- ## K
- Kaufman Assessment Battery for Children, Second Edition (KABC-II), 342
- See also* Tests and measures
- Knowledge, xi, 16, 20, 27, 29, 31, 32, 43, 56, 58, 63, 65, 77, 98, 100, 118, 136, 158, 179, 194, 197, 212, 258, 305, 336, 339, 340, 345, 366, 367, 375, 381, 404, 405, 440, 441, 444, 448, 450, 452, 456, 458
- ## L
- Language
- delay(s), 82, 405
 - development, 69
 - fluency, 69
 - oral, 345
 - written, 345
- Lawyer, 90
- See also* Attorney; Legal, professionals;
- Legal, system
- Learning
- delay, 345, 412
 - disability(ies), 223, 406
 - potential, 338
- Legal
- guardian, 91, 96, 100, 188, 366, 428, 477
 - professionals
 - attorney, 108
 - judge, 94, 108
 - lawyer, 441
 - probation officer, 94, 108
 - setting, 422

- system, 28, 91, 94–95, 108, 304, 372, 382, 438, 439, 442
 - Leisure, 45, 47, 73, 75, 158, 174, 351, 486
 - Lens, *x*, 11, 13, 16–20, 42, 71, 90, 91, 112, 147, 159, 171, 196, 207, 238, 262, 275, 351, 367, 369, 378, 388–390, 399, 411, 453, 455, 459
 - Lethal(ity), 240, 301, 305–307, 315, 316, 321, 324–326, 433
 - Level of care
 - high, 324
 - low, 324
 - moderate, 324
 - LGBTQIA2S+, 94, 303, 321
 - See also* Gender, identity; Queer; Sexual orientation
 - Liberation, 10, 15, 125, 138, 292, 450
 - See also* Liberatory
 - Liberatory, *xi*, 15, 26, 118–125, 138, 143, 282, 452
 - See also* Liberation
 - Licensed professional counselor, 95
 - See also* Clinician
 - Life history, 275
 - See also* Chronosystem
 - Likelihood(s), 36, 79, 101, 123, 125, 189, 308, 317, 336, 367, 401, 413, 415, 435
 - Likert scale, 161, 345, 455
 - Linguistic, *see* Language
 - Listen(ing), *xii*, 16–18, 26, 39, 43, 48, 56, 69, 80, 98, 112, 124, 126, 129–131, 138, 145–147, 168, 170, 171, 189, 204, 223, 224, 236, 239, 241, 258, 283, 307, 308, 326, 396, 413, 435
 - Loss, *x*, 20, 29, 59, 90, 92, 93, 118, 144, 178, 187, 205, 210, 213, 215, 229, 231, 234, 251, 255, 257, 270, 272, 273, 276, 277, 300, 304, 318, 322, 336, 368, 372, 373, 382, 397, 422
- M**
- Macrosystem, 28, 382
 - See also* Ecological systems theory
 - Magic wand, *see* Miracle question
 - Maladaptive, 239
 - Maltreatment, 61, 240
 - See also* Abuse; Neglect
 - Marginalization, 6, 123, 449, 450
 - See also* Minoritized/minoritization; Oppression
 - Marginalize(d), *see* Marginalization
 - Marriage, 12, 69
 - Marriage and family therapist
 - See also* Clinician
 - Math(ematics), 345
 - Maturation, *see* Development(al)
 - Measurement invariance, 338
 - Measures, *see* Tests and measures
 - Medical
 - history, 63, 371
 - personnel (*see also* Clinician), 91–93
 - record(s), 92, 212, 282, 371, 476
 - See also* Health
 - Medication, 29, 106, 157, 205, 261, 291, 321, 323, 337, 371, 396, 401, 423, 433
 - management, 29, 396, 401, 423
 - See also* Pharmacotherapy
 - Miracle question, 154, 155, 159
 - Memory
 - auditory, 338
 - fragmented, 209, 212
 - short-term, 249
 - visual, 338
 - Mental health
 - counselor (*see also* Clinician), 95, 100
 - disorder, 302
 - literacy, 188, 197, 198
 - professional, 73, 92, 179, 292, 306, 319, 325, 378, 384, 423, 449, 451, 457
 - See also* Emotional/behavioral health
 - Mental status, 137, 368, 375–376
 - exam, 136, 376
 - Mesosystem, 27
 - See also* Ecological systems theory
 - Metacognition, 65
 - Microsystem, 112, 371, 382, 486
 - See also* Ecological systems theory
 - Middle childhood, 58, 64, 67, 72, 75, 79
 - See also* Age
 - Migrant, 15, 231
 - families, 15
 - See also* Immigrant
 - Migration, 13, 60, 128, 174, 177, 179, 223, 277, 371
 - See also* Immigration
 - Millon Adolescent Clinical Inventory, Second Edition (MACI-II), 354
 - See also* Tests and measures
 - Millon Adolescent Personality Inventory (MAPI), 347
 - See also* Tests and measures
 - Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form (MMPI-A-RF), 347
 - See also* Tests and measures
 - Minoritized/minoritization, 5, 91, 232, 280, 303, 308, 316, 369, 453
 - miracle question, 154, 159
 - Mistrust, 32, 33, 176, 194, 196, 251

Mobile crisis team, 422, 432, 433, 437
 Mood and Feelings Questionnaire, 284

See also Tests and measures

Mood disorders, 259

See also Diagnostic category(ies)

Moral(s), 27, 307, 308, 375

See also Cultural, value(s)

Mother, xii, 12–14, 30–36, 38, 39, 43, 50, 59,
 61, 62, 79, 90, 93, 99, 118, 124,
 128, 129, 134, 144, 145, 169, 175,
 178, 187, 189, 190, 192, 195, 198,
 215, 231, 233, 237, 238, 241, 251,
 252, 256, 262, 300, 301, 372, 373,
 382, 397, 427

Motivation, 80, 101, 126, 127, 134, 192, 197,
 204, 205, 210, 276–278, 282, 304,
 306, 353, 357, 383, 406, 414

Multicultural, 6, 8, 17

psychology, 10

See also Cultural

Multidimensional, 11, 170, 378, 431

Multidisciplinary, 429, 431

See also Interdisciplinary

Multigenerational

communication, 213

family(ies), 175

household(s), 175

Multilingual, 69, 131, 134

Multiple methods, *see* Multimodal

N

Narrative Exposure Therapy (NET), 249, 260

See also Intervention(s)

National origin, *see* Nationality

Nationality, 27, 48, 62, 156, 207, 368, 369,
 374, 388, 453

Native, 69, 321, 374

See also Indigenous

Native American, 368, 373, 374, 382

See also American Indian

Natural disasters, 229, 230, 251

Navajo Nation, 372

Need(s), 4, 26, 57, 89, 121, 144, 175, 207,
 230, 279, 307, 336, 366, 396, 415,
 422, 449, 467

Negative cognitive triad, 277

See also Depression

Neglect, 19, 94, 97, 108, 120, 229, 230, 232,
 251, 258, 273, 279, 302, 304, 305,
 372, 478

Neighborhood, ix, x, 6, 10, 14, 27, 29, 59, 61,
 62, 77, 82, 156, 177–179, 218, 239,
 252, 276, 299, 306, 317, 371, 374,
 382, 384, 457

See also Microsystem

Nephew, 219

Neuropsychology(ical)

functioning, 356

measures, 356

technique(s), 339

tests, 338

Nicotine, 152, 185

See also Substance(s)

Niece, 12, 221

Non-suicidal self-injurious behaviors,

30, 38, 39, 42–44, 97, 158,
 189, 210, 220, 240, 241, 273,
 275, 283, 301–305, 307, 308,
 315, 316, 318, 319, 321, 323,
 325–327, 345, 375, 376,
 432, 434–436

Non-suicidal self-injury (NSSI), *see* Non-suicidal self-injurious behaviors

Nonverbal

communication, 31, 66, 68, 78, 135,
 147, 236

methods, 37, 204

problem-solving, 82, 338

strategies, 204

techniques, 78, 204

Norm(s)

cultural, 7, 13, 37, 147, 156, 166, 168, 169,
 178, 207, 272, 317, 378, 382, 401,
 411, 434, 444

data, 156

group, 327

test, 340, 358

Normal, *see* Norm(s)

Normative, *see* Norm(s)

Norming, *see* Norm(s)

Numbing, 234

O

Observation(s), 17, 31, 37, 38, 45, 58, 60, 61,
 64, 72, 75, 77–80, 93, 96, 103, 107,
 134–138, 147, 162, 194, 237, 240,
 258, 289, 338, 340, 354, 355, 367,
 371, 375–376, 390, 427, 428, 430,
 440, 444, 469

behavioral, 49, 288, 366, 368, 370,
 375–377, 455

Observe, *see* Observation(s)

Occupation, 27

Online activities, 317

Open mind, xii, 18, 19, 29, 41–43, 50, 56, 58,
 83, 91, 171, 174, 204, 235, 290,
 448, 452, 456, 460

Open-ended

- interview (*see also* Interview(s), unstructured), 255, 282, 289
- question, 65, 80, 124, 145, 153, 158, 160, 166, 168, 224, 254, 412, 439
- Opioids, 59, 95, 99, 256
See also Substance(s)
- Oppression, 233, 280
See also Discrimination; Structural violence
- Outpatient
 clinic, 118, 125, 129, 136, 145, 159, 162, 169, 204, 215, 271
 group practice, 271, 424
 private practice, 423, 426
 setting, 93, 422–426
- P**
- Parent(al)/ing
 harsh, 188, 279
 helicopter, 270
 inconsistent, 279
 overinvolve(ment), 73, 176
 style, 60
 warm(th), 279
- Patterns, 28, 42, 61, 91, 94, 105, 146, 157, 176–178, 180, 188, 192–194, 199, 204, 209, 211, 213, 215, 222, 223, 250, 277, 282, 291, 306, 317, 338, 380, 399, 426, 451, 458, 490
- Pediatrician, 4, 5, 28, 59, 64, 78, 79, 90–92, 96, 98, 100, 105, 118, 124, 159, 191, 197, 234, 301, 307, 318, 326, 385, 388, 401, 426–428, 431, 457
See also Clinician
- Peer(s)
 rejection, 279
 relationship(s), 105, 157, 160, 181, 238, 377, 383, 389
- Perceived burdensomeness, 304, 320
- Percentile rank(s), 336, 356, 358
- Perception, 37, 38, 63, 69, 105, 157, 160, 162, 209, 213, 218, 254, 277, 279, 304, 340, 353, 358, 372, 373, 376, 379, 380, 382
- Personality
 characteristics, 60, 355
 disorder (*see* Diagnostic category(ies), personality)
See also Temperament
- Perspective, 11, 13, 17–19, 29, 31, 38, 39, 43, 45, 48, 56–58, 60, 77, 79–81, 98, 103, 110, 112, 124, 126, 127, 129, 153, 155, 159, 160, 167, 174, 176, 180, 189, 193, 196, 197, 204, 207, 208, 212, 216, 223, 236, 238, 253, 275, 276, 284, 288, 317, 325, 358, 367, 371, 384, 428–431, 442, 449, 451, 453, 467, 468
- Pharmacological intervention, *see* Pharmacotherapy
- Pharmacotherapy, 385, 386, 457
- Physical health, 105, 106, 231, 275, 316, 371, 385, 401, 457
 provider, 92, 301
See also Clinician
- Pills, *see* Prescription drugs
- Play, x, 45, 62, 71, 72, 74, 90, 95, 101, 112, 121, 127, 134, 144, 156, 159, 167–169, 177, 192, 208, 234, 255, 261, 270, 272, 278, 281, 284, 289, 291, 304, 306, 317, 320, 338, 374, 375, 400–402, 405, 423, 425, 435, 437, 443, 452, 457–459
- Population, 7, 8, 37, 38, 42, 76, 77, 121, 125, 130, 160, 161, 175, 204, 249, 254, 261, 288, 337, 338, 340, 353–358, 360, 377, 428, 451, 453
- Positionality, 18, 19, 68, 90, 110, 138, 159, 236, 316, 456, 458, 459
See also Reflexivity
- Posttraumatic
 growth, 233
 stress, 135, 302
 stress disorder (PTSD) (*see also* Diagnostic category(ies), trauma- and stressor-related), 257, 379
- Power
 dynamics, xi, 90
 imbalance, 120
- Practice(s), ix–xii, 7–8, 12, 13, 15–20, 27, 29, 34, 39, 44, 48, 60, 61, 70, 76, 77, 110, 120, 122, 125, 127, 131, 134, 136, 138, 144, 147, 170, 174, 175, 188, 194, 196, 197, 199, 207, 211, 212, 223, 239, 254, 260, 271, 280, 291, 317, 320, 321, 323–325, 337, 340, 361, 373, 374, 389, 403, 408, 415, 422–424, 426, 429–431, 438, 439, 442–444, 448–453, 458, 460, 476, 478, 479
See also Cultural, practices
- Preferred pronouns, *see* Pronouns
- Prejudice, *see* Bias(es)
- Preparation, 58, 112, 120, 437, 444, 452
- Preschool, *see* Early childhood
- Prescription drugs, 307
See also Substance(s)

- Presenting problem(s), 15, 41, 45, 154–157, 160, 169, 170, 180, 204, 213, 237, 238, 241, 253, 262, 337, 369–370, 381, 423, 456
- Primary, 8, 31, 36, 44, 57, 59, 61, 70, 78, 79, 90, 92, 118, 119, 124, 126, 128, 133, 138, 144, 158, 162, 166, 169, 174, 177, 187, 191, 195, 197, 213, 219, 223, 237, 241, 279, 282, 315, 319, 320, 338, 358, 366, 369, 388, 400, 401, 411, 427, 428, 431, 437, 439, 451
- Primary care physician (PCP), 92, 421
See also Clinician
- Principles, xi, 9, 19, 20, 25–50, 64, 72, 90, 112, 118, 121, 127, 129, 133, 138, 144–147, 159, 167, 170, 174, 196, 204, 239, 369, 389, 403, 447–450, 452, 454, 457, 459, 460
- Principles-based approach, 8, 9, 19, 21, 448
- Privacy, 50, 75, 81, 100, 121, 130, 169, 180, 425, 475, 477–479
See also Confidentiality
- Private practice, 17, 76, 422, 423, 426, 429
See also Setting(s)
- Privilege, x, 4, 7, 9, 10, 16, 19, 28, 47, 367, 449
- Probability(ies), 336
- Probation officer, 4, 38, 90, 94, 95, 98, 108–110, 118, 125, 401
See also Legal, professionals;
Legal, system
- Probes, 80, 124, 145, 146, 154–158, 160, 254, 255, 425, 434, 455
- Problem child, *see* Identified patient
- Problematize, 19
- Problem-solving, 63–65, 82, 100, 126, 129, 175, 176, 195, 204, 205, 316, 327, 338, 340, 375, 376, 415, 434
- Progress
 evaluation, 96, 99
 monitoring, 290
- Projective(s)
 drawing, 207
 technique, 345
 test, 348
See also Tests and measures
- Pronouns, 67, 69, 78, 271, 369
- Prosocial, 377
- Psychiatrist, 90, 95, 187, 428, 450
See also Clinician
- Psychoeducation, 32–35, 50, 127, 128, 191, 235, 261, 282, 339, 403–404, 424, 426, 454, 467–468
- Psychological
 autopsy, 300
 evaluation, 21, 338, 369, 438, 457
 report, 355–358, 360, 369
 testing, 21, 45, 97, 212, 336–362
- Psychologist, ix, xi, 3, 5, 8, 12, 18, 26, 29, 48, 59, 60, 92, 93, 95, 118, 144, 178, 197, 205, 231, 270, 300, 303, 336–340, 351, 354, 358, 359, 368, 397, 407, 422, 427, 428, 430, 431, 441, 442, 449–451, 459, 484
See also Clinician
- Psychometrics, 351–355, 377
- Psychopathology, 356
See also Diagnostic category(ies)
- Psychotherapy, 16, 291, 385, 476, 477, 483
See also Intervention modality(ies)
- ## Q
- Queer, 48, 232, 318
See also LGBTQIA2S+
- Questionnaire(s), *see* Tests and measures
- ## R
- Race
 Alaska Native, 122, 292
 American Indian, 149, 313
 Asian, 6, 273
 biracial, 231, 336, 368, 397
 Black, x, 6, 32, 57, 59, 91, 94, 118, 144, 177, 231, 232, 292, 305, 359
 Hispanic, 6
 Latine/a/o/x, 6, 57, 257, 303, 305
 White, 4, 6, 7, 12, 16, 57, 59, 91, 118, 122, 145, 231, 257, 316, 359, 368, 374, 382, 397
See also Racial
- Racial
 discrimination, 359
 identity, 48
 oppression, 450
 trauma, 207
- Racism, 19, 91, 177, 233, 234, 359, 439, 450
See also Discrimination; Oppression;
 Racial, trauma
- Rapport, 30, 31, 37, 40, 70, 80, 118, 132, 158, 166, 179, 204
 building, 10, 37, 40, 50, 68, 79, 81, 130, 145, 167, 204, 237, 262, 275, 283, 289, 424, 426, 435, 454
- Reactive attachment disorder (RAD), 258

- See also* Diagnostic category(ies), trauma- and stressor-related
- Reading
comprehension, 356
- Reality testing, 376
See also Mental status
- Recommendations, 4, 6, 11, 21, 26, 28, 29, 31, 35, 36, 42, 44, 47–50, 55, 90, 91, 94, 96–100, 106, 109, 110, 112, 126, 156, 170, 189, 196, 200, 217, 230–232, 236, 256, 260, 261, 270, 292, 293, 325, 326, 339, 355, 358, 360, 362, 366–368, 370, 379, 383–390, 396, 398–402, 404, 407–415, 425, 430, 431, 436, 456–459, 469, 473
- Record(s), 5, 38, 92, 96, 100, 107, 122, 138, 212, 231, 237, 241, 251, 253, 282, 289, 300, 361, 370–373, 387, 428, 430, 440, 441, 469, 470, 475, 476
review, 241, 282, 354, 355, 358
- Referral
question, 4, 20, 41, 56, 90, 96–100, 102, 110, 112, 126, 144, 147, 154, 158, 159, 170, 179, 195, 237–239, 262, 282, 284, 337, 340, 354, 355, 358, 360, 361, 383, 388
sources, 31, 34, 41, 79, 83, 90–98, 100–112, 118, 119, 124, 125, 129, 144, 237, 282, 289, 340, 365, 366, 368, 381, 388, 397, 401, 402, 416, 453, 454, 457, 459
- Reflect(ion), *see* Reflexivity
- Reflexivity, ix, 4, 7, 10, 12, 16, 18–20, 28, 43, 56, 57, 61, 62, 66, 76, 80, 90, 94, 95, 112, 121, 122, 124, 125, 127, 138, 145, 147, 167, 171, 174, 180, 191, 205, 206, 210, 213, 218, 222, 223, 239, 252, 258, 270, 275, 281, 288, 289, 300, 307, 337, 338, 353, 378, 382, 389–390, 396, 402, 403, 405, 410, 412, 448, 453, 455, 456, 458, 459, 486
See also Critically reflexivity; Cultural, reflexivity
- Reframe, 195, 196
- Refugee
child, 131
family(ies), 300
resettlement, 261
- Regulation(s), 59, 95, 252, 278, 291, 302, 379, 413, 436, 437, 449
- Relationship(s)
adult-child, 237
family, 105, 160, 166, 177, 181, 197, 237, 327, 371, 384
peer, 105, 160, 181, 238, 377, 383, 389
social, 105, 238, 279
- Reliability
internal consistent, 351
test-retest, 351
- Religion, 17
See also Faith; Spirituality
- Religious
community, 317
leader, 4
- Relocation, 43, 230, 251
See also Migration
- Repair, 291
See also Therapeutic, alliance
- Report, *see* Report-writing
- Report-writing
answering referral questions, 388
audience, 339
collateral report, 39, 49, 64, 70, 75, 80, 162, 249, 253, 255, 288, 289, 338, 354, 371, 377, 401, 440, 455
communication tool, 366–368
culture and context, 4, 456
interpretive frame, 368
planning, 367, 375, 376, 388, 389
procedures, 368, 370–371
purpose of evaluation, 368, 369
reasons for referral, 369
recommendations, 366–368, 370, 379, 383–390
results, 4, 366, 368, 377, 456
summary, 366, 368, 381–387, 389
- Representative, 12, 353, 357
- Research Domain Criteria (RDoC), 378
- Resettlement, 261, 438
- Residential treatment, *see* Intervention
modality(ies)
- Resilience, 15, 16, 20, 58, 120, 170, 175, 179, 194, 200, 233, 234, 236, 262, 280, 291, 300, 374, 381, 383, 384, 390, 451
- Resource(s), x, 19, 30, 36, 41, 49, 50, 56, 58, 60, 68, 77, 96, 97, 99, 101, 103, 105, 110, 127, 135, 156, 160, 162, 193, 199, 200, 205, 210, 222, 230, 234, 239, 253, 261, 262, 293, 317, 319, 323, 325, 326, 340, 358, 368, 369, 372, 374–375, 384–386, 399, 406, 408, 422, 425, 429, 435, 444, 449, 450, 457–459
- Respondent, 78, 249, 253, 284, 377, 455
See also Informant

- Responsivity, xi, 76–77, 120, 125, 180, 223
See also Flexibility
- Restorative justice, 292
- Reversibility, 64
- Rey-Osterrieth Complex Figure Test (ROCF), 342
See also Tests and measures
- Risk
 assessment, 41, 96, 97, 99, 232, 256, 283, 308–314, 317–319, 385, 433–435, 437
 evaluation (*see* Risk, assessment)
 intervention, 97, 308, 317, 324, 434, 451
 measures, 162, 308–314, 455
 prevention, 300, 305, 319, 327, 451
- Role(s)
 family, 34, 61, 101, 110, 156, 158, 291, 400
 professional, 95, 123, 192, 213
 social, 73
- Rorschach Inkblot Test, 354
See also Tests and measures
- Rupture(s)
 alliance, 40
 relational, 434
- Rural, 13, 15, 16, 33, 60, 62, 65, 300, 303, 321
- S**
- Safe storage, 321, 325
See also Risk, prevention
- Safety, xii, 21, 30, 47, 59, 82, 94, 96, 97, 103, 119–121, 123, 125, 147, 162, 167, 190–192, 218, 230, 232, 234–236, 252, 260, 262, 271, 372, 384, 385, 432–435, 437, 438, 476–478
 plan(ning), 40, 97, 319–325, 434–437
- Scaffold, 458
- Scale(s)
 Likert, 161, 345, 455
 subscale(s), 255, 336, 355, 356, 377
- School
 counselor, 14, 26, 31, 59, 90, 100, 103, 178, 231, 271, 300, 306, 318, 323, 325, 386
 educator, 401
 elementary, 6, 231, 236
 high, 13, 30, 92, 271, 303, 373, 382, 427
 middle, 82, 198, 218
 principal, 119
 shooting, 230, 305
 staff, 91, 93, 319, 338, 430
 teacher, 4, 5, 7, 12, 14, 17, 27, 31, 34, 35, 38, 50, 59, 68, 79–81, 90, 91, 93, 98, 103, 106, 107, 109, 112, 118, 122, 136, 160, 162, 169, 170, 187, 199, 218, 230, 231, 238, 261, 279, 284, 288, 351, 366, 374, 398–400, 426–429, 453, 470
- School-Age Children and Adolescents (SACA) Cultural Formulation Interview (CFI), 160, 162
See also Interview(s), protocols
- Screenener, *see* Tests and measures
- Screening instruments, *see* Tests and measures
- Screening questionnaire, *see* Tests and measures
- Self-
 care, 73, 320, 325, 351, 376
 concept, 240, 374, 375
 efficacy, 110, 119, 120, 123, 125, 235, 238, 240, 260, 276, 383
 esteem, 72, 238, 240, 259, 271, 273, 274, 276, 281, 292, 326, 380, 383, 386
 harm (*see* Non-suicidal self-injurious behaviors)
 injurious behavior (*see* Non-suicidal self-injurious behaviors)
 injury (*see* Non-suicidal self-injurious behaviors)
 report, 37, 38, 64, 65, 72, 80, 81, 96, 159, 162, 210, 257, 289, 345, 354, 371, 377, 440
- Semistructured Clinical Interview for Children and Adolescents (SCICA), 160, 162
See also Interview(s), protocols
- Semi-structured interview(s), 96, 160, 257, 424
See also Interview(s)
- Seriation, 64
- Service engagement, *see* Engagement
- Setting(s)
 community mental health, 28, 422
 court, 422, 443
 crisis, 222, 422
 emergency, 96, 324
 group practice, 424
 hospital, 8, 204, 205
 inpatient, 324
 integrated care, 427, 428, 431, 444
 justice, 401
 legal, 422, 438–443
 medical, 315
 outpatient, 93, 422–426
 primary care, 8, 400
 private practice, 422, 423, 426, 429
 residential, 4, 232, 385

- school, 15, 59, 62, 80, 118, 125, 129, 136, 144, 159, 162, 169, 270, 374, 399, 428
- Sexism, 233
See also Discrimination; Oppression
- Sexual abuse, 240, 252, 256, 302, 336
See also Abuse
- Sexual orientation, 5, 27, 48, 49, 60, 72, 280, 325, 369, 374, 449, 453
- Sister, 12, 118, 144, 189, 191, 197–199, 215, 323, 450
- Sleep, 42, 59, 97, 105, 240, 257, 278, 282, 316, 370, 376, 379, 384, 386, 407, 408, 434
- SOARS, 315
See also Suicide
- Social
 competence, 327
 context, 10, 56, 73, 78, 157, 306, 336, 359, 450
 ecological, 65
 ecology, 58–62, 65, 73, 75, 82, 90, 317
 emotional (*see also* Social-emotional), 58, 71, 73, 76, 79, 83, 174, 349–350
 environment, 176, 178, 199
 intervention, 337, 428
 isolation, 279, 280, 304, 306, 316, 434
 media
 Instagram, 279
 Snapchat, 279
 TikTok, 279
 YouTube, 279
 network, 10, 29, 31, 32, 62, 156, 272, 317, 320, 371, 373, 383
 relatedness, 279
 role(s), 73
 support(s), 31, 233, 259, 261, 279, 280, 385, 389
 withdrawal, 210, 290, 427
 work (*see also* Case, management), 385, 423, 457
- Socialization, 61, 73, 351
- Sociocultural, 29, 56, 112, 155, 281, 303, 317, 319, 450
- Socioeconomic status, 5, 12, 13, 17, 27, 30, 48, 93, 99, 107, 144, 218, 231, 301, 368, 372–374, 382, 405, 408, 414, 427, 453
- Social-emotional
 functioning, 70
 learning, 80
- Special education, 14, 94, 107, 351, 439
See also Educational plan
- Speech, *see* Language
- Spelling, 345
- Spirituality, 48, 175, 374, 385
See also Faith
- Stakeholder(s), 50, 90, 91, 100, 101, 112, 136, 260, 262, 293, 351, 366–368, 370, 371, 390, 395–416, 441, 444, 448, 451, 453, 455–457, 459
- Standard score(s), 355–358
- Stanford-Binet Intelligence Scales, Fifth Edition (SB-V), 343, 359
See also Tests and measures
- Stepfamily, 13, 14, 30, 31, 62, 99, 118, 129, 145, 169, 175
- Stigma(tization), 101, 124, 129, 166, 270, 271, 275, 390, 406, 451
- Strength(s), x, 9, 26, 31, 38, 39, 41, 49, 56–58, 66, 77, 81, 97, 103, 112, 120, 123, 125, 127, 156, 158–160, 170, 175, 176, 178–180, 194, 197, 198, 205, 217, 222, 223, 236, 237, 253, 255, 256, 282, 291, 292, 336–340, 345, 356, 359, 366–368, 374–375, 383, 387, 397–400, 403, 404, 406, 408, 412, 415, 434, 456, 486
 -based approach, 9, 458
- Strengths and Difficulties Questionnaire (SDQ)
See also Tests and measures
- Stress(or), 39, 42, 45, 77, 157, 160, 162, 177, 210, 233, 257, 260, 279, 304, 308, 316–318, 326, 381, 382, 384, 397, 437, 457, 485, 486
- Structural violence, 16, 177, 233, 372
See also Oppression; Violence
- Structure
 deep, 78
 surface, 204–207, 211, 223, 239, 304, 367, 422, 444
- Structured interview, 78, 159, 160, 162, 166, 168, 241, 250–251, 254–255, 257, 283
See also Interview(s)
- Substance(s)
 alcohol, 379
 caffeine, 152, 185
 cannabis, 95, 99, 379
 misuse, 238, 241, 259
 nicotine, 152, 185
 opioid(s), 59, 95, 99, 256
 prescription drugs, 152, 185
 tobacco, 152, 185

Substance(s) (*cont.*)

- use, 14, 20, 92, 99, 118, 129, 145, 158, 179, 190, 234, 240, 241, 259, 273, 274, 302, 305, 316, 318, 327, 434
- use disorder (*see also* Diagnostic category(ies), substance-related and addictive), 291

Suicidality, 120, 283, 292, 324, 384

Suicide

- assessment, 308
- behavior(s), 273, 303, 304, 306, 319, 324, 325, 337, 432
- cluster(s), 317
- contagion, 317, 327
- explanation(s), 303
- factor(s)
 - biochemistry, 303
 - ecological, 303
 - interpersonal, 303
 - sociocultural, 303
- ideation, 41, 136, 240, 273, 304, 305, 308, 315, 319, 320, 324, 326, 375, 376, 433, 437
- risk, 82, 305, 308, 317, 324, 325
- signs, 241
- theory(ies)
 - Integrated Motivational-Volitional, 304
 - Three-Step Theory, 304
- thought(s) (*see* Ideation)
- warning signs, 305, 319, 322, 434

Surface

- culture, 121
- structure, 121, 204–207, 211, 223, 239, 304, 367, 422, 444

Symptom(s)

- checklist, 37, 38, 205
- measures, 37, 161, 163–165, 253–254, 284–287, 289, 455
- variation, 57, 284

System(s)

- contextual, 45–47
 - ecological, xi
 - networks, 29, 372
 - perspective, 45, 174, 196
- See also* Context(s)

T

- Teacher, 4, 5, 7, 12, 14, 17, 27, 31, 34, 35, 38, 50, 59, 68, 79–81, 90, 91, 93, 98, 103, 106, 107, 109, 112, 118, 122, 136, 160, 162, 169, 170, 187, 199, 218, 230, 231, 238, 261, 279, 284, 288, 351, 366, 374, 398–400, 426–429, 453, 470

See also School, staff

Team

- interdisciplinary, 431
- multidisciplinary, 429, 431

Telehealth, 128, 300, 301, 306, 318, 325, 423, 471, 474

Temperament, 338, 345–348, 354

See also Personality

Testing

- psychological, 21, 45, 97, 212, 336–362
- feedback, 198, 388, 396

Test-retest reliability, 351

See also Reliability

Tests and measures

- Achenbach System of Empirically Based Assessment (ASEBA), 162, 197
- Adaptive Behavior Assessment System, Third Edition (ABAS-3), 352
- Bayley Scales of Infant and Toddler Development, Fourth Edition (Bayley-4), 163, 341, 349, 352
- Behavior Assessment System for Children, Third Edition (BASC-3), 162
- Child Behavior Checklist (CBCL), 39
- Children's Apperception Test (CAT), 348
- Comprehensive Test of Nonverbal Intelligence, Second Edition (CTONI-2), 353
- Delis-Kaplan Executive Function System (D-KEFS), 341
- A Developmental Neuropsychological Assessment, Second Edition (NEPSY-II), 342
- Halstead-Reitan Battery (HRB), 341
- Infant-Toddler Social Emotional Assessment (ITSEA), 164, 354
- Kaufman Assessment Battery for Children, Second Edition (KABC-II), 342
- Millon Adolescent Clinical Inventory, Second Edition (MACI-II), 354
- Millon Adolescent Personality Inventory (MAPI), 347
- Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form (MMPI-A-RF), 347
- Mood and Feelings Questionnaire, 284
- Patient Health Questionnaire, 284, 285
- Rey-Osterrieth Complex Figure Test (ROCF), 342
- Rorschach Inkblot Test, 354
- Stanford-Binet Intelligence Scales, Fifth Edition (SB-V), 343, 359
- Strengths and Difficulties Questionnaire (SDQ), 377
- Thematic Apperception Test (TAT), 348

- Vineland Adaptive Behavior Scales, Third Edition (Vineland-3), 352
 Wechsler Adult Intelligence Scale, Fifth Edition (WAIS-5), 354
 Wechsler Individual Achievement Test, Fourth Edition (WIAT-4), 346
 Wechsler Intelligence Scale for Children, Fifth Edition (WISC-V), 353
 Wechsler Nonverbal Scale of Ability (WNV), 343
 Wechsler Preschool and Primary Scale of Intelligence, Fourth Edition (WPPSI-IV), 344
 Wide Range Achievement Test, Fifth Edition (WRAT-5), 346
 Wisconsin Card Sorting Test (WCST), 344
 Woodcock-Johnson Test of Achievement, Fifth Edition (WJ-V ACH), 346
 Woodcock-Johnson Test of Cognitive Abilities, Fifth Edition (WJ-V COG), 344
 Tests, *see* Tests and measures
 Thematic Apperception Test (TAT), 348
 See also Tests and measures
 Therapeutic
 alliance (*see* Alliance)
 intervention(s) (*see* Intervention(s))
 Therapist, 3, 17, 20, 26, 32, 90, 95, 107, 109, 134, 176, 290, 323, 324, 378, 401, 407, 414, 415, 423, 428, 429, 432, 440, 489–491
 See also Clinician; Counselor
 Therapy, *see* Intervention(s)
 Thoughtful action, 19, 26, 448, 459
 Thwarted belongingness, 304, 320
 TikTok, 279, 300, 306, 318
 See also Social media
 Timelines, 66, 209, 212–213
 Tobacco, 152, 185
 See also Substance(s)
 Toddler, 75, 251
 See also Age
 Traditional healer, 90, 458
 See also Clinician
 Traditions
 cultural, 17, 175, 207, 373
 family, 213
 religious, 17, 213
 Translate(ion), 36, 130, 132, 161, 251, 254, 300, 316, 408, 411, 427, 430
 See also Interpret(ation)
 Translator, *see* Interpreter
 Transparency, xi, 101, 283
 Trauma
 accident, 212, 229
 acute, 230, 235, 240
 chronic, 230, 258, 259
 effect, 119, 120, 230, 232–235, 239, 250, 260, 372
 event, 119, 229, 230, 232–233, 235, 238, 239, 241, 251–253, 256, 257, 303, 379
 experience, 29, 59, 92, 118–120, 144, 153, 230, 232–235, 239, 252, 254–258, 260, 261, 304, 373, 439
 historical, 207, 239
 intergenerational, 372, 373
 interpersonal, 234, 251, 260, 261, 303
 racial (*see also* Discrimination; Oppression; Racism), 207
 vicarious, 234, 261
 Trauma-focused cognitive behavior therapy (TF-CBT), 260
 See also Intervention(s)
 Trauma-informed, 118–125, 138, 143, 230, 235–237, 241, 260, 262, 282, 441, 452
 Traumatic, *see* Trauma
 Treatment modality(ies), *see* Intervention modality(ies)
 Treatment plan(ning), *see* Intervention planning
 Trust, xii, 32, 36–39, 61, 79, 92, 110, 119, 120, 123–127, 129, 170, 180, 186, 189–191, 196, 204, 224, 233, 235, 237–239, 258, 389, 396, 409–411, 413, 436, 454
 T-score(s), 336, 356

U
 Unconditional positive regard, 124, 147, 308
 Universal design, 121, 138, 452
 Unrest, 197, 230
 Unstructured interview(s), 161, 251
 See also Interview(s)
 Urban, 61, 65, 231, 303

V
 Validity
 construct, 353
 content, 353, 359
 convergent, 353
 criterion, 353
 cross-cultural, 353
 discriminant, 353
 ecological, 353

Validity (*cont.*)

face, 353, 404

incremental, 353, 354

Value(s), 12–15, 18, 27, 28, 37, 44, 48, 50, 60, 72, 73, 76–78, 90, 102, 110, 120, 121, 125, 129, 146, 155, 156, 174, 178, 180, 194, 197, 204, 207, 223, 280, 307, 317, 338, 351, 354, 357, 358, 360, 373, 374, 382, 389, 390, 396, 398, 403, 408, 415, 422, 448, 449, 453, 459

See also Cultural, value(s)

Verbal

communication, 31, 72, 138, 144, 147, 236, 413

expression, 137, 194, 204

Vermont Family Based Approach (VFBA), 196–199

See also Intervention(s)

Vicarious trauma, 261

See also Trauma

Vineland Adaptive Behavior Scales, Third Edition (Vineland-3), 352

See also Tests and measures

Violence

exposure, 305, 317

structural, 16, 177, 233, 372

Visual

depictions, 222, 371

expression, 206, 207, 211, 223

images, 207

metaphors, 68, 154, 155, 195, 210, 284, 405

See also Drawing(s)

Visual-spatial, 338, 340

Vocabulary, 66, 69, 71, 72, 129, 132

Vulnerability(ies), 58, 91, 179, 205, 230, 234, 271, 275, 279, 317, 337, 339, 366, 371, 381, 383, 406, 408

W

War, x, 17, 131, 229, 230, 232

Wechsler Adult Intelligence Scale, Fifth Edition (WAIS-5), 354

See also Tests and measures

Wechsler Individual Achievement Test, Fourth Edition (WIAT-4), 346

See also Tests and measures

Wechsler Intelligence Scale for Children, Fifth Edition (WISC-V), 353

See also Tests and measures

Wechsler Nonverbal Scale of Ability (WNV), 343

See also Tests and measures

Wechsler Preschool and Primary Scale of Intelligence, Fourth Edition (WPPSI-IV), 344

See also Tests and measures

Western, educated, industrialized, rich, supposedly democratic society (WEIRD), 4, 7, 8, 47, 57, 160, 378, 449

White, Anglo-Saxon Protestants

(WASP), 4, 7, 8, 47, 57,

160, 378, 449

Wide Range Achievement Test, Fifth Edition (WRAT-5), 346

See also Tests and measures

Wisconsin Card Sorting Test (WCST), 344

See also Tests and measures

Woodcock-Johnson Test of Achievement, Fifth Edition (WJ-V ACH), 346

See also Tests and measures

Woodcock-Johnson Test of Cognitive Abilities, Fifth Edition (WJ-V COG), 344

See also Tests and measuresWork, *see* EmploymentWorking alliance, *see* AllianceWriting, *see* Written expression

Written expression, ix, 15, 16, 19, 66, 67, 75, 180, 273, 283, 284, 302, 322, 345, 366, 367, 387–390, 440, 441, 448, 476, 479, 482

X

Xenophobia, 233

See also Oppression